

Envelopes esteri
Outer envelopes
Envelopes extérieurs

Codice <i>Code</i> <i>Code</i>	Modello <i>Model</i> <i>Modèle</i>	Diam. est x tall. / tall. <i>Out. diam. x bead / bead</i> <i>Diam. ext. x talon / talon</i>	Dimensione dei pneumatici suggeriti <i>Size of suggested tyres</i> <i>Dimension des pneus conseillés</i>
2170598	SL - 13	mm 1130 x 800 inch 44.4 x 31.5	1200 - 20 • 385/65 - 22.5 • 15 - 22.5 • 445/65 - 19.5 13 - 22.5 • 425/65 - 22.5 • 1200 - 24
2170599	SL - 12	mm 1160 x 780 inch 45.6 x 30	1200 - 20 • 1300 - 20 • 365/80 - 20 • 13 - 22.5 • 15 - 22.5 385/65 - 22.5 • 1200 - 24
2170600	SL - 11/12	mm 1067 x 710 inch 42 x 28	1100 - 20 • 1200 - 20 • 1100 - 22 • 12 - 22.5 • 315/80 - 22.5 11 - 24.5 • 285/75 - 24.5
2170601	SL - 11	mm 1020 x 700 inch 40 x 27.5	1100 - 20 • 11 - 22.5 • 12 - 22.5 • 315/75 - 22.5
2170602	SL - 10	mm 1000 x 680 inch 39.3 x 26.7	1000 - 20 • 11 - 22.5 • 275/70 - 22.5 • 275/80 - 22.5 295/80 - 22.5 • 305/70 - 22.5 • 315/70 - 22.5 • 425/55 - 19.5
2170602A	SL - 9	mm 960 x 610 inch 37.8 x 24	900 - 20 • 10 - 22.5 • 305/70 - 19.5 • 305/60 - 22.5
2170603	SL - 8	mm 945 x 570 inch 37.4 x 22.4	700 - 20 • 750 - 20 • 825 - 20 8 - 22.5 • 9 - 22.5 • 255/70 - 22.5 • 305/70 - 19.5
2170604	SL - 78	mm 890 x 590 inch 35 x 23.2	285/70 - 19.5 • 650 - 20 900 - 15 • 10 - 15 • 10 - 17.5
2170604A	SL - 76	mm 840 x 540 inch 33 x 22	825 - 15 • 825-16 • 245/70 - 19.5 • 265/70 - 19.5
2170605	SL - 7	mm 795 x 500 inch 31.3 x 20	10 - 16.5 • 12 - 16.5 • 215/75 - 16 • 225/75 - 16 • 215 - 16 750 - 16 • 205 - 16 • 10 - 15 • 7.50 - 15 • 825 - 15 300 - 15 • 8.5/17.5 • 9.5/17.5 • 235/70 - 19.5 • 245/70 - 19.5
2170606	SL - 6	mm 714 x 440 inch 28 x 17.3	8 - 17.5 • 700 - 16 • 205/75 - 16 235/75 - 15 • 215 - 15 • 215 - 14 28x9 - 15 • 700 - 15 • 2.50 - 15 • 215/75 - 17.5
2170607	SL - 4	mm 650 x 430 inch 25.6 x 17	195 - 14 • 205 - 14 • 185 - 15 • 600 - 16 • 650 - 16 175/75 - 16 • 185 - 16 • 195 - 16 • 7.00 - 12 • 27x10-12 7 - 17.5
2170608	SL - 2	mm 610 x 380 inch 24 x 15	165 - 14 • 165/70 - 14 • 175 - 14 • 175/70 - 14 • 185 - 14 185/75 - 14 • 750-10 • 23x10-12 • 7.00 - 12
2170609A	SL - 1	mm 530 x 390 inch 20.8 x 14.9	23x9-10 • 6.50 - 10
2170609B	SL - 0	mm 506 x 335 inch 19.9 x 13.1	21x8-9 • 6.00 - 9
2170609C	SMALL	mm 492 x 360 inch 19.5 x 14.1	18x7-8 • 500 - 8
2170609D	18x13	mm 457 x 330 inch 18 x 13	16x6-8 • 15x4 - 1/2-8 • 500 - 8 • 400 - 8



OPOŃCZE ZEWNĘTRZNE TYP XL

Envelopes esterni tipo "XL" quando è richiesta una gonna più lunga.

Quando è usato un cerchio tipo "Oliver" o equivalente

Outer envelopes "XL" type when extra skirt is needed. When a rim type "Oliver" or equivalent flanges are used

Envelopes ext. type "XL" quand on a besoin d'une bordure plus longue. Quand on utilise une jante type "Oliver" ou correspondante

Codice Code Code	Modello Model Modèle	Diam. est x tall. / tall. <i>Out. diam. x bead / bead</i> <i>Diam. ext. x talon / talon</i>	Dimensione dei pneumatici suggeriti <i>Size of suggested tyres</i> <i>Dimension des pneus conseillés</i>
2170610	XL - 13	mm 1130 x 880 inch 44,4 x 34.6	1200 - 20 • 385/65 - 22.5 • 15 - 22.5 • 445/65 - 19.5 13 - 22.5 • 425/65 - 22.5 • 1200 - 24
2170610A	XL - 11/12	mm 1067 x 790 inch 42 x 31	315/80 - 22.5 • 12 - 22.5 1100 - 20 • 1200 - 20
2170610C	XL - 11	mm 1020 x 770 inch 40 x 30	305/70 - 22.5 • 315/70 - 22.5 295/80 - 22.5 • 11 - 22.5 • 1000 - 20
2170610E	XL - 10	mm 1000 x 740 inch 39 x 29	275/80 - 22.5 • 305/70 - 19.5 900 - 20
2170610F	XL - 9	mm 960 x 660 inch 37.8 x 26	
2170610G	XL - 8	mm 945 x 640 inch 37 x 25	700 - 20 • 750 - 20 825 - 20
2170610L	XL - 76	mm 840 x 570 inch 33 x 23	245/70 - 19.5
2170610N	XL - 7	mm 795 x 600 inch 31 x 24	8-17.5 • 8.5 - 17.5 750 - 16 • 205 - 16


OPOŃCZE ZEWNĘTRZNE ARC SYSTEM

Codice Code Code	Modello Model Modèle	Diam. est x tall. / tall. <i>Out. diam. x bead / bead</i> <i>Diam. ext. x talon / talon</i>	Dimensione dei pneumatici suggeriti <i>Size of suggested tyres</i> <i>Dimension des pneus conseillés</i>
2170611N	48 X 45	mm 1230 x 1220 inch 48.7 x 48	1400 - 24 • 445/65 - 22.5
2170612	44 X 38	mm 1130 x 980 inch 44.4 x 38.5	1200 - 20 • 385/65 - 22.5 • 15 - 22.5 • 445/65 - 19.5 13 - 22.5
2170612A	44 X 36	mm 1130 x 980 inch 44.4 x 36	385/65 - 22.5
2170613	42 X 36	mm 1075 x 920 inch 42.3 x 36.2	315/80 - 22.5 • 315/75 - 22.5 • 335/80 - 20 13/80 - 20 • 12/80 - 20 • 1100 - 20 • 1000 - 20
2170613A	42 X 34	mm 1075 x 864 inch 42.3 x 34	11-24.5 • 295/80-24.5 • 12-22.5
2170614	40 X 34	mm 1020 x 870 inch 40 x 34.2	285/75 - 24.5 • 11 - 22.5 • 10 - 22.5
2170614A	40 X 32	mm 1020 x 813 inch 40 x 32	285/75 - 24.5 • 295/70 - 22.5 • 295/75 - 22.5 275/80 - 22.5 • 295/80 - 22.5 • 11 - 22.5
2170614D	35 X 29	mm 889 x 752 inch 35 x 29.6	255/70 - 22.5 • 275/70 - 22.5 • 305/70 - 19.5 285/70 - 19.5 • 265/70 - 19.5 • 245/70 - 19.5
2170614F	32 X 28	mm 816 x 712 inch 32.1 x 28	225/70 - 19.5 • 235/70 - 19.5 • 245/70 - 19.5 225/90 x 17.5 • 9.5 - 17.5 • 8.25 - 16
2170614H	32 X 26	mm 816 x 660 inch 32.1 x 26	225/75 - 17.5 • 235/75 - 17.5
2170614L	29 X 25	mm 725 x 650 inch 28.5 x 25.6	700-16 • 225/75 - 16 • 205/75 - 16 215/85 - 16 • 215/75 - 15
2170614N	27 X 21	mm 680 x 590 inch 26.8 x 23.2	185/75 - 16 • 195/75 - 16 • 195/75 - 14

OPONCZE WEWNĘTRZNE UNIWERSALNE


Codice Code Code	Misura Size Dimension	Dimensioni dei pneumatici suggerite Suggested tyre sizes Dimensions pneu conseillées	Dimensioni (mm) Sizes (mm) Dimensions (mm)		
			A	B	C
2170615	1300 x 500	16.5-22.5 • 18-22.5 425/65-22.5 • 445/65-22.5 • 1200 - 24	1300	500	900
2170615B	1340 x 560	11-24 • 12-24 • 13-24 • 12-24,5 • 562-22,5	1340	560	900
2170616	1200 x 560	1100-24 • 11-24.5 • 12-24.5 285/75-24.5 • 295/75-24.5 • 305/75-24.5 • 315/75-24.5 285/80-24.5 • 295/80-24.5 • 305/80-24.5	1200	560	870
2170616D	1160 x 480	385/65 - 22.5 • 12.00-20 • 13.00-20 • 13.80-20 14.80-20 • 365/80-20 • 15.22.5	1160	480	900
2170616M	1180 x 580	11 - 24.5	1180	580	940
2170617	1100 x 480	1100-20 • 1200-20 • 1100-22 • 425/55-19.5 12-22.5 • 13-22.5 • 15-22.5 • 305/70-22.5 • 315/75-22.5 315/80-22.5 • 385/65-22.5	1100	480	860
2170618	1060 x 480	11-22.5 • 275/80-22.5 • 295/80-22.5	1060	480	810
2170619	1010 x 480	8.25-20 • 900-20 • 1000-20 • 10-22.5 • 305/70-19.5 • 305/60 - 22.5 255/70-22.5 • 275/70-22.5 • 285/70-22.5 • 305/70-22.5 • 12-16.5	1010	480	790
2170620	960 x 440	265/70-19.5 • 285/70-19.5	960	440	690
2170621	880 x 380	825-15 • 825-16 • 9.5-17.5 • 10-17.5 • 245/70 - 19.5 • 235/75 - 19.5	880	380	675
2170622	780 x 400	7.50-15 • 750-16 • 215/75-16 • 225/75-16 8-17.5 • 8.5-17.5 • 9-17.5 • 205/75-17.5 215/75-17.5	780	400	640
2170623	700 x 315	195-14 • 205-14 • 215-14 • 250/70-15 • 700-15 • 10-16.5 185/75-16 • 195/75-16 • 600-16 • 6.50-16 • 205/75-16	700	315	570

L'enveloppe ha un foro per la valvola e questa zona è rinforzata - I prezzi delle enveloppes non includono la valvola.
 The envelope has a hole for the valve and this area is reinforced. Envelopes prices do not include the valve.
 L'enveloppe a un trou pour la valve et cette zone est renforcée - La valve n'est pas incluse dans les prix des enveloppes.



OPONCZE WEWNĘTRZNE DO OPON PRZEMYSŁOWYCH

Codice Code Code	Misura Size Dimension	Dimensioni dei pneumatici suggerite Suggested tyre sizes Dimensions pneu conseillées	Dimensioni Sizes Dimensions		
			A	B	C
2170701	5.00-8	15x4 1/2-8 • 125/75-8 • 4.00-8 • 5.00-8	350	190	105
2170703	18x7-8 (16x6-8)	18x7-8 • 180/70-8 • 16x6-8 • 150/75-8 • 18x7-8	350	190	130
2170711	6.00-9	6.00-9 • 6.50-10	420	210	120
2170712	21x8-9	21x8-9 • 200/75-9	420	210	185
2170721	6.50-10	6.50-10	480	230	150
2170722	200/50-10	200/50-10	400	230	180
2170723	23x9-10	23x9-10 • 225/75-10	490	230	180
2170731	7.00-12	7.00-12	510	280	155
2170732	23x10-12	23x10-12	460	280	230
2170733	27x10-12	27x10-12 • 250/75-12	530	280	230
2170741	8.25-15	2.00-15 • 7.50-15 • 8.25-15	650	380	170
2170742	2.50-15	2.50-15 • 225/75-15 • 250/70-15 • 28x9-15	570	380	186
2170743	3.00-15	3.00-15 • 315/70-15	650	380	220
2170744	10.00-20	10.00-20 • 12.00-20	865	470	270



PASY ODPOWIETRZAJĄCE

- Prodotto in gomma butilica particolarmente resistente al calore (da 100°C a 150°C);
- L'elasticità della miscela non provoca deformazione al battistrada;
- Idoneo a qualsiasi tipo di sistema prestampato;
- Evita l'impronta della valvola envelope sul battistrada;
- Estetica perfetta del pneumatico (nessuna impronta);
- Applicazione semplice e veloce - non necessita fissaggio;
- Lunga durata.

- Produced in butyl rubber particularly heat resistant (from 100°C to 150°C);
- The high elasticity of the compound doesn't generate deformations to the tread;
- Suitable for any kind of precured tread system;
- It avoids the impression of the envelope valve on the tread;
- Perfect design of tyre (no impression);
- Easy and quick application - no fixing required;
- Long life.

- Produit en caoutchouc butylique particulièrement résistant à la chaleur (de 100°C à 150°C);
- La haute élasticité du mélange ne cause pas de déformations à la chape;
- Indiqué pour tous types de système bande pré-vulcanisée;
- Il évite l'empreinte de la valve envelope sur la chape;
- Design parfait du pneu (pas d'empreinte);
- Application facile et rapide - pas besoin de fixation;
- Longue durée.

Codice Code Code	Descrizione Description Description	Dimensioni (mm) Sizes (mm) Dimensions (mm)		Sistema Prestampato Precured tread system Système bande pré-vulcanisée
		A	B	
2170800	Cuscino per vuoto Envelope Super single <i>Super single envelope vacuum pad</i> <i>Coussin pour vide envelope Super single</i>	1385	165	Sistema doppio envelope <i>Double envelope system</i> <i>Système envelope double</i>
2170801	Cuscino per vuoto envelope Super single <i>Super single envelope vacuum pad</i> <i>Coussin pour vide envelope Super single</i>	740	165	Envelope / Cerchio / Camera - Sistema ARC <i>Envelope / Rim / Tube - ARC system</i> <i>Envelope / Jante / Chambre - Système ARC</i>
2170802	Cuscino per vuoto envelope Autocarro <i>Truck envelope vacuum pad</i> <i>Coussin pour vide envelope camion</i>	1250	175	Sistema doppio envelope <i>Double envelope system</i> <i>Système envelope double</i>
2170803	Cuscino per vuoto envelope Autocarro <i>Truck envelope vacuum pad</i> <i>Coussin pour vide envelope camion</i>	670	175	Envelope / Cerchio / Camera - Sistema ARC <i>Envelope / Rim / Tube - ARC system</i> <i>Envelope / Jante / Chambre - Système ARC</i>
2170804	Cuscino per vuoto envelope Trasporto medio leggero <i>Medium light truck envelope vacuum pad</i> <i>Coussin pour vide envelope petite camionnette</i>	835	135	Sistema doppio envelope <i>Double envelope system</i> <i>Système envelope double</i>
2170805	Cuscino per vuoto envelope Trasporto medio leggero <i>Medium light truck envelope vacuum pad</i> <i>Coussin pour vide envelope petite camionnette</i>	450	135	Envelope / Cerchio / Camera - Sistema ARC <i>Envelope / Rim / Tube - ARC system</i> <i>Envelope / Jante / Chambre - Système ARC</i>

